

Low-medium position cisterns



BIBLO CLASSIC technical data sheet

Sommario

DESCRIPTION	3
FEATURES	3
TECHNICAL NOTES	3
STANDARD SUPPLY	4
ON DEMAND	4
PACKAGING	4
PACKAGING	5
MODELS:	5
DIMENSIONS	6
SPARE PARTS	7
LIST	7
ACCESSORIES ON DEMAND	8

BIBLO CLASSIC

Exposed cistern for low or medium position installations.

DESCRIPTION

BIBLO CLASSIC exposed flush cistern is suitable for low- or medium-position installations.

BIBLO CLASSIC is made with an anti-ageing ABS body and is equipped with a central button for total discharge.

KARIBA exposed cisterns are equipped with a fast and silent float valve with various water connection possibilities.

Each cistern is produced with top quality materials and with components 100% tested in production with water supply.

EN 14055 CL1 - 9 - NL I - VR II regulation.

FEATURES

Features and plus



Low-medium position



Central total flush button



9lt in-wall cistern (adjustable to 6lt)



100% Made in Italy



NORMA-PLUS float valve, acoustic cl.1, LGA-TUV approved

TECHNICAL NOTES

- Capacity 9 lt with possibility of adjustment to 6 lt
- Central full-discharge button
- ABS body with anti-ageing treatment
- Anti-condensation and soundproofing insulation
- Right or left water connection

S

STANDARD SUPPLY

- Stop valve for universal installation (according to code)
- Wall mounting accessory kit
- Discharge pipe
- Connection gaskets
- Norma-Plus float valve, acoustic cl.1, LGA-TUV

ON DEMAND

- Pneumatic lifting device cod. 400021
- Pneumatic controls

PACKAGING

CODE	PCS	LxWxH	WEIGHT
BIBLO CLASSIC	1	439x138x420 mm	3 kg

PACKAGING






packaging		pcs	L-P-H
	single	1	439x138x420
	multiple	5	720x450x443
	pallet	100	118x120x2220

MODELS:

CODE	DESCRIPTION
336300	BIBLO CLASSIC WHITE- PIPE Ø 40 mm
336311	BIBLO CLASSIC white,pipe Ø 40 mm WITHOUT STOP-VALVE
336430	BIBLO CLASSIC white,pipe Ø 40 mm WITHOUT REMOTE BUTTON


S

DIMENSIONS



S

SPARE PARTS



S

LIST

CODE	DESCRIPTION
420142	Window for Biblo Classic
420051	Anchor
300802	Stop valves
336302	Lid with central button
420057	Discharge button group
300336	NORMA-PLUS float valve, acoustic cl.1, LGA-TUV approved
300162	Discharge valve
112153	Silicon gasket
300842	Cistern fixing accessories kit and connection gaskets Ø40
205433	Discharge pipe 50x40x320mm
204244	White clamp gasket for pipe coupling
204140	Black clamp gasket ø 40 mm for WC coupling

ACCESSORIES ON DEMAND

CODE	DESCRIPTION
400021	Pneumatic lifting device
215313	Pipe 50x32x1000mm
215363	Pipe 50x32x600mm
255353	Dismountable pipe 50x32x935mm
204132	Black clamp gasket ø 32 mm for WC coupling
400101	Flush-mounted white pneu button
400103	Wall-mounted white pneu button
300386	"Norma" float-valve 3/8"