

Low-medium position cisterns



---

## BIBLO DUO technical data sheet

---

## Sommario

DESCRIPTION	3
FEATURES	3
TECHNICAL NOTES	3
STANDARD SUPPLY	4
ON DEMAND	4
PACKAGING	4
PACKAGING	5
MODELS:	5
DIMENSIONS	6
SPARE PARTS	7
LIST	7
ACCESSORIES ON DEMAND	8

## BIBLO DUO

Exposed cistern for low or medium position installations.

### DESCRIPTION

BIBLO DUO exposed flush cistern is suitable for low- or medium-position installations.

BIBLO DUO is made with an anti-ageing ABS body and is equipped with a 3/6 - 3/9 litre dual flush side control. KARIBA exposed cisterns are equipped with a fast and silent float valve with various water connection possibilities.

Each cistern is produced with top quality materials and with components 100% tested in production with water supply.

EN 14055 CL1 - 9 - NL I - VR II regulation.

### FEATURES

#### Features and plus



Low-medium position



Dual flush control 3/6 - 3/9lt



9lt in-wall cistern (adjustable to 6lt)



100% Made in Italy



NORMA-PLUS float valve, acoustic cl.1, LGA-TUV approved

### TECHNICAL NOTES

- Capacity 9 lt with possibility of adjustment to 6 lt
- Double side button for 3/6 - 3/9 litre discharge management.
- ABS body with anti-ageing treatment
- Anti-condensation and soundproofing insulation
- Left or right and rear water connection in the centre
- Innovative system of further partial discharge adjustment from 3.5 lt down to a minimum of 1 lt

S

## STANDARD SUPPLY

- Stop valve for universal installation (according to code)
- Wall mounting accessory kit
- Discharge pipe
- Connection gaskets
- Norma-Plus float valve, acoustic cl.1, LGA-TUV

## ON DEMAND




- Pneumatic lifting device cod. 400021
- Pneumatic controls

## PACKAGING

CODE	PCS	LxWxH	WEIGHT
BIBLO DUO	1	439x138x420 mm	3 kg

## PACKAGING




packaging		pcs	L-P-H
	single	1	439x138x420
	multiple	5	720x450x443
	pallet	100	118x120x2220

## MODELS:


CODE	DESCRIPTION
336500	BIBLO DUO WHITE-PIPE Ø 40 mm
336511	BIBLO CLASSIC white,pipe Ø 40 mm without stop-valve
336500CH	BIBLO DUO CHAMPAGNE-PIPE Ø 40 mm

S

## DIMENSIONS



## SPARE PARTS



S

## LIST

CODE	DESCRIPTION
420162	Lever group with anchor
420051	Anchor
300802	Stop valves
336502	Lid with flush buttons
420038	Partial flush button
420039	Total flush button
300336	NORMA-PLUS float valve, acoustic cl.1, LGA-TUV approved
300162	Discharge valve
112153	Silicon gasket
300842	Cistern fixing accessories kit and connection gaskets Ø40
205433	Discharge pipe 50x40x320mm

CODE	DESCRIPTION
204244	White clamp gasket for pipe coupling
204140	Black clamp gasket ø 40 mm for WC coupling
420058	Discharge lever kit
420050	Slingbar lever

## ACCESSORIES ON DEMAND

CODE	DESCRIPTION
400021	Pneumatic lifting device
215313	Pipe 50x32x1000mm
215363	Pipe 50x32x600mm
255353	Dismountable pipe 50x32x935mm
204132	Black clamp gasket ø 32 mm for WC coupling
400101	Flush-mounted white pneu button
400103	Wall-mounted white pneu button
300386	"Norma" float-valve 3/8"