

Low-medium position cisterns



KARIBA 2008 DUO technical data sheet

Sommario

DESCRIPTION	3
FEATURES	3
TECHNICAL NOTES	3
STANDARD SUPPLY	3
ON DEMAND	4
PACKAGING	4
PACKAGING	5
MODELS:	5
DIMENSIONS	5
SPARE PARTS	7
LIST	7
ACCESSORIES ON DEMAND	8

KARIBA 2008 DUO

Exposed cistern for low or medium position installations.

DESCRIPTION

KARIBA 2008 DUO exposed flush cistern is suitable for low- or medium-position installations.

KARIBA 2008 DUO is made with an anti-ageing ABS body and is equipped with a double triple-action button: full discharge, partial discharge, start/stop.

KARIBA exposed cisterns are equipped with a fast and silent float valve with various water connection possibilities.

Each cistern is produced with top quality materials and with components 100% tested in production with water supply.

FEATURES

Features and plus



Low-medium position



Double triple action button: total discharge - start/stop - partial discharge



6-9lt in-wall cistern



100% Made in Italy

TECHNICAL NOTES

- Capacity 9 lt to 6 lt
- Central triple action button: total discharge, start/stop, partial discharge
- ABS body with anti-ageing treatment
- Anti-condensation and soundproofing insulation
- Water connection possible in two positions: right or left
- Norma float-valve

STANDARD SUPPLY

- Stop valve (according to code)
- Wall mounting accessory kit
- Discharge pipe
- Connection gaskets

S

ON DEMAND

- Pneumatic lifting device cod. 400021
- Pneumatic controls

PACKAGING

CODE	PCS	LxWxH	WEIGHT
KARIBA 2008 DUO	1	450x136x420 mm	2.7 kg

PACKAGING






packaging		pcs	L-P-H
	single	1	450x136x420
	multiple	5	750x470x440
	pallet	100	122x122X2320

MODELS:


CODE	DESCRIPTION
325120	KARIBA 2008 DUO WHITE-PIPE Ø 40 mm
325111	KARIBA 2008 DUO white,pipe Ø 40mm WITHOUT STOP-VALVE
325132	KARIBA 2008 DUO WHITE-PIPE Ø 32 mm

S

DIMENSIONS



SPARE PARTS



S

LIST

CODE	DESCRIPTION
115124	Spacer
111041	Anchor
300802	Stop valves
300750	Lid with flush buttons
420018	Partial flush button

CODE	DESCRIPTION
420019	Total flush button
300386	"Norma" float-valve 3/8"
300162	Discharge valve
112153	Silicon gasket
205433	Pipe 50x40x320mm
205333	Pipe 50x32x320mm
300842	Cistern fixing accessories kit and connection gaskets Ø40
300843	Cistern fixing accessories kit and connection gaskets Ø32
204244	White clamp gasket for pipe coupling
204140	Black clamp gasket ø 40 mm for WC coupling
204132	Black clamp gasket ø 32 mm for WC coupling

ACCESSORIES ON DEMAND

CODE	DESCRIPTION
400021	Pneumatic lifting device
215313	Pipe 50x32x1000
215363	Pipe 50x32x600
255353	Dismountable pipe 53x32x935
400101	Flush-mounted white pneu button
400103	Wall-mounted white pneu button
300336	NORMA-PLUS float valve, acoustic cl.1, LGA-TUV approved