

Low-medium position cisterns



KARIBA 2008 MONO technical data sheet

Sommario

DESCRIPTION	3
FEATURES	3
TECHNICAL NOTES	3
STANDARD SUPPLY	4
ON DEMAND	4
PACKAGING	4
PACKAGING	5
MODELS:	5
DIMENSIONS	6
SPARE PARTS	7
LIST	7
ACCESSORIES ON DEMAND	8

KARIBA 2008 MONO

Exposed cistern for low or medium position installations.

DESCRIPTION

KARIBA 2008 MONO exposed flush cistern is suitable for low- or medium-position installations. KARIBA 2008 MONO is made with an anti-ageing ABS body and is available in brilliant white and champagne. KARIBA exposed cisterns are equipped with a fast and silent float valve with various water connection possibilities.

Each cistern is produced with top quality materials and with components 100% tested in production with water supply.

EN 14055 CL1 - 9 - NL II - VR II regulation

FEATURES

Features and plus



Low-medium position



Single button with rinse interruption option



9lt in-wall cistern (adjustable to 6lt)



100% Made in Italy



Pneu version available. Suitable for people with motor disabilities

TECHNICAL NOTES

- Capacity 9 lt with possibility of adjustment to 6 lt
- Central start-stop activation control
- ABS body with anti-ageing treatment
- Anti-condensation and soundproofing insulation
- Water connection possible in two positions: right or left
- Norma float-valve

S

STANDARD SUPPLY

- Stop valve (according to code)
- Wall mounting accessory kit
- Discharge pipe
- Connection gaskets

ON DEMAND

- Pneumatic lifting device cod. 400021 (standard for code 325104)
- Pneumatic controls

PACKAGING

CODE	PCS	LxWxH	WEIGHT
KARIBA 2008 MONO	1	450x136x420 mm	2.7 kg

PACKAGING






packaging		pcs	L-P-H
	single	1	450x136x420
	multiple	5	750x470x440
	pallet	100	122x122X2320

MODELS:


CODE	DESCRIPTION
325100	KARIBA 2008 WHITE-PIPE Ø 32 mm
325100CH	KARIBA 2008 CHAMPAGNE-PIPE Ø 32 mm
325100VI	KARIBA 2008 MINK-PIPE Ø 32-until exhaustion
325101	KARIBA 2008 white,pipe Ø40 mm
325101CH	KARIBA 2008 CHAMPAGNE PIPE Ø 40mm
325102	KARIBA 2008 white,pipe Ø40 mm without stop valve
325102CH	KARIBA 2008 champagne pipe Ø40 mm without stop valve
325103	KARIBA 2008 white,pipe Ø 32 mm WITHOUT STOP-VALVE
325103CH	KARIBA 2008 champagne pipe Ø32 mm without stop valve
325104	KARIBA 2008 white,pipe Ø 40 mm PNEU WITHOUT REMOTE BUTTON

S

DIMENSIONS



SPARE PARTS



S

LIST

CODE	DESCRIPTION
420154	Lever group with anchor
420051	Anchor
300802	Stop valves
300652	Lid with flush button
300651	Flush button
300386	"Norma" float-valve 3/8"
300162	Discharge valve
112153	Silicon gasket
300842	Cistern fixing accessories kit and connection gaskets Ø40

CODE	DESCRIPTION
300843	Cistern fixing accessories kit and connection gaskets Ø32
205433	Pipe 50x40x325mm
205333	Pipe 50x32x320mm
204244	White clamp gasket for pipe coupling
204140	Black clamp gasket ø 40 mm for WC coupling
204132	Black clamp gasket ø 32 mm for WC coupling
420048	Total discharge lever kit
420050	Slingbar lever

ACCESSORIES ON DEMAND

CODE	DESCRIPTION
400021	Pneumatic lifting device (standard for code 325104)
215313	Pipe 50x32x1000
215363	Pipe 50x32x600
255353	Dismountable pipe 53x32x935
400101	Flush-mounted white pneu button
400103	Wall-mounted white pneu button
300336	NORMA-PLUS float valve, acoustic cl.1, LGA-TUV approved