

Low-medium position cisterns



---

## TOP DUO technical data sheet

---

## Sommario

DESCRIPTION	3
FEATURES	3
TECHNICAL NOTES	3
STANDARD SUPPLY	3
PACKAGING	4
PACKAGING	5
MODELS:	6
DIMENSIONS	6
SPARE PARTS	7
LIST	7
ACCESSORIES ON DEMAND	8

## TOP DUO

Exposed cistern for low or medium position installations.

### DESCRIPTION

TOP DUO exposed flush cistern is suitable for low- or medium-position installations.

TOP DUO is made with an anti-ageing ABS body and is equipped with a 3/6 - 3/9 litre dual flush side control. KARIBA exposed cisterns are equipped with a fast and silent float valve with various water connection possibilities.

Each cistern is produced with top quality materials and with components 100% tested in production with water supply.

EN 14055 CL1 - 9 - NL II - VR II regulation

### FEATURES

#### Features and plus



Low-medium position



Dual flush control 3/6 - 3/9lt



9lt in-wall cistern (adjustable to 6lt)



NORMA-PLUS float valve, acoustic cl.1, LGA-TUV approved



100% Made in Italy

### TECHNICAL NOTES

- Capacity 9 lt with possibility of adjustment to 6 lt
- Double side button for 3/6 - 3/9 litre discharge management.
- ABS body with anti-ageing treatment
- Anti-condensation and soundproofing insulation
- Left or right and rear water connection in the centre
- Norma-Plus float valve, acoustic cl.1, LGA-TUV

S

### STANDARD SUPPLY




- Stop valve for universal installation
- Wall mounting accessory kit
- Discharge pipe
- Connection gaskets
- Norma-Plus float valve, acoustic cl.1, LGA-TUV

## PACKAGING

CODE	PCS	LxWxH	WEIGHT
TOP DUO	1	439x138x420 mm	2.9 kg

## PACKAGING




packaging		pcs	L-P-H
	single	1	439x138x420
	multiple	5	720x450x443
	pallet	100	118x120x2220

## MODELS:


CODE	DESCRIPTION
336200	TOP DUO WHITE-PIPE Ø 40 mm
336200CH	TOP DUO CHAMPAGNE-PIPE Ø 40 mm

S

## DIMENSIONS



**SPARE PARTS**



S

**LIST**

CODE	DESCRIPTION
420003	Lever group
205021	Anchor
300802	Stop valves
336201	Lid with flush buttons
420030	Partial flush button
420029	Total flush button
300336	NORMA-PLUS float valve, acoustic cl.1, LGA-TUV approved
300162	Discharge valve
112153	Silicon gasket
300842	Cistern fixing accessories kit and connection gaskets Ø40

CODE	DESCRIPTION
205433	Pipe 50x40x320mm
204244	White clamp gasket for pipe coupling
204140	Black clamp gasket ø 40 mm for WC coupling
300090	Support for rear float-valve attachment

## ACCESSORIES ON DEMAND

CODE	DESCRIPTION
215313	Pipe 50x32x1000mm
215363	Pipe 50x32x600mm
255353	Dismountable pipe 50x32x935mm
204132	Black clamp gasket ø 32 mm for WC coupling
300386	"Norma" float-valve 3/8"

S