

Mounting frames for plasterboard walls



Karbon Fix 9.0 technical data sheet
Standard code 377319

Sommario

| | |
|-----------------------------|---|
| DESCRIPTION | 3 |
| FEATURES | 3 |
| STRUCTURE FEATURES | 4 |
| CISTERN FEATURES | 4 |
| DIMENSIONS | 5 |
| STANDARD SUPPLY | 6 |
| ON DEMAND | 6 |
| PACKAGING | 6 |
| ACCESSORIES AND SPARE PARTS | 7 |
| ELENCO | 9 |

Karton Fix 9.0

Mounting frames for plasterboard walls

DESCRIPTION

Mounting frame for floor-standing WCs complete with 9-lt Monolith 9.0 flush-mounted cistern. Also available in 6lt version.

For plasterboard walls.

Karton Fix is the ideal solution for installations in equipped plasterboard walls: no kit required and reduced risk of error.

FEATURES

Features and plus



For floor or squat WCs



For plasterboard walls



Capacity 9 litres



Double drain with adjustable partial (2.5 to 3.5 litres)



Assembly operations in 8 minutes



FLEXVALVE



Monoblock container



Lago system



NORMA-PLUS float valve, acoustic cl. 1. LGA-TUV



100% Made in Italy

STRUCTURE FEATURES

- Anti-corrosion galvanised frame
- Thickness 100 mm

CISTERN FEATURES

- 9 litre one-piece high-density PE container without splice points
- Repairable in case of accidental drilling
- Plaster holder fixing mesh
- Extruded closed-cell PE insulation, anti-condensate and soundproofing with thermal resistance
- FlexValve: discharge valve with silicon gasket. Made of polypropylene with silicone additive (PTE)
- Norma-Plus float valve acoustic class 1 LGA-TUV approved
- Maintenance operations without using tools
- Pneumatisable without the need to replace internal components

DIMENSIONS

S

STANDARD SUPPLY

- Dismountable stop valve 3/8"-3/8" including fitting 1/2"-3/8"
- Set of self-tapping screws for frame fastening
- Telescopic polystyrene insulated exhaust pipe with universal conical clamp, height adjustable up to 100 mm
- Removable drain
- Drain valve
- Norma-Plus float valve
- Protection template to shape perimeter of tiles or plaster
- Protection caps for outlet pipe

IT NEEDS TO BE INTEGRATED WITH DUAL COUNTERPLATE COD. 317010

ON DEMAND


- Dual counter-plate
- Fidia/Itaka/Aurea cover plate
- Sleeve kit Ø40
- Sleeve kit Ø32
- Extension
- Pneu system

S

PACKAGING

| CODE | PCS | LxDxH | KG |
|--------|-----|--------------|------|
| 377319 | 1 | 1320x590x150 | 7,30 |

ACCESSORIES AND SPARE PARTS



ACCESSORI INCLUSI
INCLUDED



cod 305229



cod 300388



cod 300338*



cod 305121



cod 305123



cod 305252

NON INCLUSI
NOT INCLUDED



cod 317010
controplacca duo - counter plate

Aurea
Fidia
Itaka



Placca comando
Control plate

ACCESSORI A RICHIESTA
ON DEMAND



cod 204006
Ø 40



cod 204001
Ø 32



cod 305118



cod. 400190



cod. 400195



cod. 400194



cod. 400197

ELENCO

| CODE | DESCRIPTION |
|---------|--|
| 300388 | Norma 3/8' float valve for concealed cistern |
| 300338* | Norma-Plus 3/8' float valve for concealed cistern, acoustic class I |
| 305229 | Dismountable brass stop valve 3/8"-3/8" including fitting 1/2"-3/8" |
| 305123 | Removable drain |
| 305121 | Bend pipe with insulation for 9 lt concealed cisterns, 9.0 lines |
| 305252 | Discharge valve |
| 400190 | Pneu transforming kit with aluminium inspection plate and remote white hand-button |
| 400195 | Pneu transforming kit with aluminium inspection plate and remote white plastic leg-button for floor/wall |
| 400194 | Pneu transforming kit with aluminium inspection plate and remote inox leg-button |
| 400197 | Pneu transforming kit with aluminium inspection plate and remote white hand-button |
| 204006 | Sleeve kit Ø40 |
| 204001 | Sleeve kit Ø32 |
| 305118 | Extension |